

Accuracy class: II

DS seri Gold weighing Balance

Scale High Precision Balance

Scale platter material: Plastic with stainless steel pan.

Units: g, ct, oz, dwt, gn, tola, tl 8 units (default, can do other units).

Button: 06 buttons, HOLD, MODE, PRINTS, UNIT, TARE, ZERO.

Standard RS232 communication interface with selectable baud rate.

Recommend weighing more than: 10 divisions.



Display type: Dual LCD display with 6 digits/green(Blue/White)backlight.

Calibration: Manual calibration.

Power display: Input 220V AC / Output 12v DC 500mA, 6V/1.3AH Battery

Case-pack: 2 pcs /ctn.

Factory: Fuzhou Haichuan Electronic Technology Co.,Ltd
Manufactured for TPS Corporation



MODEL	DS 223	DS 323
Capacity	220 g	320 g
Division	0.001 g	0.001 g
Verification scales interval	0.01 g	0.01 g
Display	LCD	
Dimensions (LxDxH)	(182 x 283 x 305) mm	(182 x 283 x 305) mm
Weighing pan (mm)	Ø 100 mm	Ø 100 mm
Weiging Unit	g, ct, oz, dwt, gn, tola, tl.T	
Power Supply	100-240V AC Adapter 12V/500mA	
Net weight	2,78 kg/ 4,02 kg	

Accuracy class: II

DS seri Gold weighing Balance

Scale High Precision Balance

Scale platter material: Plastic with stainless steel pan.

Units: g, ct, oz, dwt, gn, tola, tl 8 units (default, can do other units).

Button: 06 buttons, HOLD, MODE, PRINTS, UNIT, TARE, ZERO.

Standard RS232 communication interface with selectable baud rate.

Recommend weighing more than: 10 divisions.

Display type: Dual LCD display with 6 digits/green(Blue/White)backlight.



Calibration: Manual calibration.

Power display: Input 220V AC / Output 12v DC 500mA, 6V/1.3AH Battery

Case-pack: 8pcs/ctn.

Factory: Fuzhou Haichuan Electronic Technology Co.,Ltd

Manufactured for TPS Corporation



MODEL	DS 302	DS 602	DS 1202	DS 1502
Capacity	300 g	600 g	1200 g	1500 g
Division	0.01 g	0.01 g	0.01 g	0.01g
Verification scales interval	0.1 g	0.1 g	0.1 g	0.1 g
Display	LCD			
Dimensions (LxDxH)	(283 x 182 x 70) mm			
Weighing pan (mm)	Ø 120 mm			
Weiging Unit	g, ct, oz, dwt, gn, tola, tl.T			
Power Supply	100-240V AC Adapter 12V/500mA			
Net weight	1,32 kg/2,2 kg			

Accuracy class: II DS seri Gold weighing Balance Scale High Precision Balance

Scale platter material: Plastic with stainless steel pan.

Units: g, ct, oz, dwt, gn, tola, tl 8 units (default, can do other units).

Button: 06 buttons, HOLD, MODE, PRINTS, UNIT, TARE, ZERO.

Standard RS232 communication interface with selectable baud rate.

Recommend weighing more than: 10 divisions.

Display type: Dual LCD display with 6 digits/green(Blue/White)backlight.


Calibration: Manual calibration.

Power display: Input 220V AC / Output 12v DC 500mA, 6V/1.3AH Battery

Case-pack: 8pcs/ctn.

Factory: Fuzhou Haichuan Electronic Technology Co.,Ltd

Manufactured for TPS Corporation



MODEL	DS 3001	DS 3002	DS 6001	DS 6002	DS 7501
Capacity	3 kg	3 kg	6 kg	6 kg	7500 g
Division	0.1 g	0.01 g	0.1 g	0.05 g	0.1g
Verification scales interval	1 g	0.1 g	1 g	0.5 g	1 g
Display	LCD				
Dimensions (LxDxH)	(182 x 283 x 70) mm				
Weighing pan (mm)	(160 x 160) mm				
Weiging Unit	g, ct, oz, dwt, gn, tola, tl.T				
Power Supply	100-240V AC Adapter 10V/500mA				
Net weight	1,8 kg/2,3 kg				